





WWW.SINONEO.COM



SINONEO MAGNETS CO.,LTD.



FLEXIBLE FERROUS IRON SHEET



Flexible Ferrous Iron Sheet (Steel sheeting) is made by mixing iron powder with plastic (CPE etc.). It has excellent magnetic receptive ability. It is easily cut, bent, twisted, coiled, or can be machined into almost any shape without damaging its magnetic receptive properties. Unlike normal steel sheeting, Sinoneo's steel sheeting doesn't have hard and sharp corners or edges and it won't cause cuts or injuries and is safe to handle.

This material is ideal for white boards, magnetic dartboards, and educational products (like magnetic books, magnetic puzzles and chess boards, etc.) This material is becoming increasingly popular for the use as magnetic wall paper.

Laminating this material with digital printable or other materials and printing beautiful designs and images creates wall paper that can be exchanged and/or replaced when applied to a wall that has a layer of our magnetic sheeting with adhesive.


Restaurants, businesses, and home owners can easily change their wall paper according to their mood, holiday, or season. Multiple layers can be applied to create attractive designs and decors. The versatility of this product creates many different decorating and advertising possibilities.

THE APPLICATION OF FLEXIBLE FERROUS IRON SHEETS

White Boards
Magnetic Dartboards
Magnetic Books
Magnetic Puzzles
Chess Boards
Company Display
Magnetic Toys
Pop Display
And many more



**THE MAIN
PRODUCTION
EQUIPMENT AND
TESTING EQUIPMENT**



THE DIMENSION TOLERANCES OF FLEXIBLE FERROUS IRON SHEETS

Length (mm)	Tolerance (mm)	Width (mm)	Tolerance (mm)	Hight (mm)	Tolerance (mm)
≤20	±0.3	≤20	±0.3	< 1	±0.05
>20-50	±0.5	>20-50	±0.5	>1-4	±0.1
>50-100	+1/0	>50-100	+1/0	>4-6	±0.15
>100-200	+2/0	>100-200	+2/0	>6-12	±0.2
>200-300	+3/0	>200-300	+3/0		
>300-400	+4/0	>300-400	+4/0		
>400-600	+6/0	>400-600	+6/0		
>600-800	+8/0	>600-800	+8/0		
>800-1000	+10/0	>800-1000	+10/0		
>1000	+2%/0	>1000	+2%/0		

PPS:Productons will be manufactured with the dimensional tolerances of products required by the customers,if the dimensional tolerances are not in the range of the above table.

THE MAIN DIMENSIONS OF FLEXIBL FERROUS IRON SHEETS

Thickness	Width	Length	Fnish
0.3mm(12 mil)	310mm,620mm,Max.1500mm	10M,15M,20M,30M	Plain With UV Coating
0.4mm(15 mil)	310mm,620mm,Max.1500mm	10M,15M,20M,30M	Matte/Gloss White Vinyl
0.5mm(20 mil)	310mm,620mm,Max.1500mm	10M,15M,20M,30M	Printable Paper
0.7mm(27.6 mil)	310mm,620mm,Max.1500mm	10M,15M,20M,30M	Color Vinyl
0.76mm(30 mil)	310mm,620mm,Max.1500mm	10M,15M,20M,30M	Adhesive Tape
1.5mm(60 mil)	310mm,620mm,Max.1500mm	10M,15M,20M,30M	Eco-solvent PP Film

SHIPPING AND PACKAGING



SINONEO MAGNETS CAN SHIP YOUR PRODUCT ALMOST ANY WAY YOU WANT IT—IN ROLLS, BULK ON SKIDS, CUT BLANKS IN BOXES, OR USING PERSONALIZED PACKAGING FOR PRIVATE LABELING.

OUR SHIPPING WAYS:

1. Express courier, TNT, Fedex, DHL, UPS for your choice.
(1), Ship door to door. You can provide your express account for the freight payable at destination. (2), Delivery time: 3-7 days
2. Air cargo , shipping to your nearest airport.
(1), If you choose this way, please provide us your nearest airport. (2), Delivery 5-15 days. (3), Suitable for cargo over 45 kg
3. Sea cargo, shipping to your nearest port.
(1), If you choose this way, please provide us your nearest port and zip code. (2), Delivery approximately 30 days.
(3), This type of shipping is suitable for cargo over 200KGS, or have big volume.



OEM are welcomed, samples is available, small orders accepted.

Let Us Assist You!

Our magnet experts will help you get exactly what you need - custom or stock - in record time with great quality at a very competitive price.

CONTACT US



SCAN TO VISIT OUR WEBSITE

SINONEO MAGNETS CO.,LTD.

ADD:NO.580,HENGTONG ROAD,SUZHOU, CHINA(215000)

FACTORY:CICHENG INDUSTRIAL ZONE,NINGBO,CHINA(315000)

PHONE: +0086-159 0650 8736 0086-574-8266 2106

WEBSITE:WWW.SINONEO.COM

EMAIL: SALES@SINONEO.COM

SKYPE:WANGGL503 WECHAT:15906508736